

62

Feb. 1, 1959

Bingham



SEED COMPANY

1510 EAST ADAMS STREET - P. O. BOX 1166 - JACKSONVILLE 1, FLORIDA

Sec. 34.66, P. L. & R.

U. S. POSTAGE

PAID

Jacksonville, Fla.

Permit No. 173

THERE'S A *Growing* DIFFERENCE

LIBRARY
RECEIVED
★ FEB 6 1959 ★
U. S. Department of Agriculture

SB115
293505
R

*Important
Market Quotations*

Return Postage Guaranteed

LIBRARY
U. S. DEPT. OF AGRICULTURE
WASHINGTON, D. C.

Bingham



Open Daily 8:30 to 5 P.M.
Closed Saturday
Phone EL 6-5739

SEED COMPANY

1510 EAST ADAMS STREET • P. O. BOX 1166 • JACKSONVILLE 1, FLORIDA

SPECIAL QUOTATIONS

TERMS AND CONDITIONS

Quotations herein subject to change without notice and are for full bags.
Prices are Net FOB Jacksonville, Fla., unless otherwise stated.

"The Bingham Seed Company warrants to the extent of the purchase price that seeds sold are as described on the container within recognized tolerances. Seller gives no other or further warranty, expressed or implied." All contracts subject to delays and contingencies beyond our control.

| | | | |
|--|-----------|--|-----------|
| *ALFALFA, Peruvian (100#sx) | .31 lb. | GRAIN SORGHUMS, (100#sx) | |
| BENNE, Imported (100#sx) | .24 " | Hegari, Early | 5.25 cwt. |
| BUCKWHEAT, Japanese (100#sx) | 7.00 cwt. | " Cert. Regular Texas | 6.00 " |
| CANE, (100#sx) | | " Regular Texas | 5.50 " |
| Black Amber, Certified. | .09½ lb. | Milo, Martin (Certified) | 5.00 " |
| Black Amber, Select | .08 " | Sart. | .14 lb. |
| Texas Seeded Ribbon | ASK | Shallu (Egyptian Wheat) | ASK |
| CHUFAS, (100#sx) (2½ bu.) | 6.75 bu. | GRASSES, (100#sx) | |
| *CLOVER, Alyce (100#sx) | .13½ lb. | (BAHIA SCARIFIED 1¢ EXTRA) | |
| Dixie Crimson, Affidavit. | .28 " | Bahia, Argentine. | ASK |
| Hubam - 99/90% | .16 " | " Common | .24 lb. |
| Kenland Red | .48 " | " Pensacola (Limited). | .38 " |
| Ladino, Certified | .73 " | Bermuda, Ex. Fancy Quality. | .24 " |
| White Dutch, La. grown (98/90) | .92 " | " " " " Hulled | .35 " |
| White Dutch, La. grown Mixed. | .72 " | Carpet (New Crop) | .45 " |
| CORN, (2 bu. sx.) (**TREAT) | | Johnson | .18 " |
| Dixie 18 Flat, Cert. (1 bu. sx.) | 7.00 bu. | Sudan, Sweet. | .08½ " |
| Florida 200, Cert. (1 bu. sx.) | 7.75 " | Weeping Lovegrass | 1.20 " |
| Golden Dent | 3.75 " | *INDIGO, Hairy (100#sx) Early. | .29 " |
| Hasting's White Prolific. | 3.85 " | Late. | .25 " |
| Hasting's Yellow Prolific | 3.85 " | *LESPEDeza, Kobe (100#sx) | .15 " |
| Hickory King. | 5.00 " | Sericea | .19 " |
| Mexican June. | 3.50 " | MILLET, (100#sx) | |
| Whatley's White Prolific. | 4.00 " | Brown Top | .10 " |
| Yellow Dent | 3.85 " | Cattail (Pearl) | .07½ " |
| *COWPEAS, (2 bu. sx.) | | Japanese. | .09 " |
| Brabams. | ASK | Starr (Pearl) Certified | .12½ " |
| Irons | 6.50 " | Starr (Pearl) Affidavit | .11½ " |
| *CROTALARIA, (100#sx) | | PEANUTS, (100#sx) | |
| Early Spectabilis | .20 lb. | Dixie Runners | ASK |
| Giant Striata | .18 " | Valencia (50#sx) | .19 " |
| CROWDER & EDIBLE PEAS (100#sx) | | RAPE, Dwarf Essex (100#sx) | .10 " |
| Alabama Crowders. | .23½ " | *SESBANIA, Southern (100#sx) | .07 " |
| Blackeyes, Certified No. 5's. | .11½ " | Western Scarified | .11½ " |
| " Early Wilt-Resistant. | .11½ " | *SOYBEANS, Clemson (2 bu. sx.) | 3.50 bu. |
| " Ramshorn. | .10½ " | Jackson | ASK |
| Blue Goose. | .18 " | Otootans. | ASK |
| Conchs. | .22 " | SUNFLOWER, (100#sx) (DUE ABOUT 2/15) | |
| Creams. | .22 " | Extra Large Greystripe. | .18½ lb. |
| Dixie Lee | .18½ " | Large Greystripe. | .16½ " |
| Dixie Queen, Purple Hulls | .22 " | VELVET BEANS, (2 bu. sx.) | |
| Lady Peas | .24 " | 90-Day Speckled | 7.50 bu. |
| Purple Hulls (Brown Type) | .20 " | Osceola | 7.50 " |

*TREAT THESE WITH INOCULATION

| NITRAGIN INOCULATION | SIZE | DIXIE INOCULANT | SIZE |
|------------------------------------|---------|------------------------------|---------|
| "E" Peas-Velvet Beans-Alyce Clover | | Cowpeas-Crotalaria-Velvet | |
| Crotalaria-Hairy Indigo 100# | .30 ea. | Beans 100# | .30 ea. |
| "L" Lespedeza 100# | .35 " | Lespedeza-Alyce Clover-Hairy | |
| "Sesbania" (72 per case) 1 bu. | .40 " | Indigo 100# | .30 " |
| "S" Soybeans (72 per case) 2 bu. | .25 " | Soybeans 2 bu. | .20 " |
| "S" Soybeans (24 " carton) 5 bu. | .40 " | Soybeans 5 bu. | .35 " |

(PACKED 12 PER CARTON - 48 PER CASE.)

**STANLEY'S CROW REPELLENT - 1 bu. size .50 -- 2 bu. size .80 -- 4 bu. size \$1.30 each.

Cyclone Lawn Spreaders - \$13.80 each. --- Cyclone Seed Sowers - \$40.80 per dozen.

Seymour Seedcasters - \$5.00 each.

Vigoro (50# sx.) - \$2.12 each ----- With Chlordane - \$2.50 each.

Golden Vigoro (50# sx.) - \$3.12 each.

POWER SEED SOWERS:

Model M-1 Cyclone (6 Volt Motor) - \$35.40 each.

Model S-1 Cyclone (Power take-off) - \$43.15 each.

FIELD AND GRASS SEED PLANTING CHART

| Customary weights per bushel, pounds per acre, and usual time of seeding in latitude of Fla. | Wt. Per Bu. | Lbs. Per Acre | Time for Seeding |
|---|-------------------|---------------------|------------------------|
| Alfalfa—Drilled or Broadcast | 60 | 20-30 | Sept.—Jan. |
| Barley—Broadcast | 48 | 72-96 | Sept.—Dec. |
| Beggarweed—(Drill 3-5#) | 60 | 12-15 | April—June |
| Benne—Drilled | 45 | 3-5 | March—June |
| Buckwheat—Broadcast | 48 | 48-96 | Oct.—Nov., Mar.—June |
| Cane (Sorghum) Drill 10-15# | 50 | 50-75 | March—August |
| Chufas—Drilled | 40 | 12-15 | April—July |
| Clover—Alsike—Broadcast | 60 | 6-10 | Sept.—May |
| Clover—Alyce—Broadcast | 60 | 10-15 | March—July |
| Clover—Black—Medic—Broadcast | 60 | 10-15 | Sept.—March |
| Clover—Bur (In Bur)—Broadcast | 10 | 30-50 | Sept.—Nov., Feb.—March |
| Clover—Bur (Hulled)—Broadcast | 60 | 12-15 | Sept.—Nov., Feb.—March |
| Clover—Crimson—Broadcast | 60 | 15-20 | August—Nov. |
| Clover—Hop—Broadcast | 60 | 4-6 | Sept.—Mar. |
| Clover—Hubam—Broadcast | 60 | 15-25 | Sept.—Dec. |
| Clover—Ladino—Broadcast | 60 | 5-6 | Sept.—Jan. |
| Clover—Melilotus Indica Broadcast | 60 | 15-18 | Sept.—Nov., Feb.—Mar. |
| Clover—Persian—Broadcast | 60 | 6-8 | Sept.—Nov., Feb.—Mar. |
| Clover—Red—Broadcast | 60 | 12-15 | August—Jan. |
| Clover—White Dutch—Broadcast | 60 | 3-5 | Sept.—Jan. |
| Corn—(For Silage 12-15#) Drill | 56 | 7-10 | Feb.—July |
| Cotton—Sea Island—Drill | 40 | 10 | Jan.—May |
| Cotton—Short Staple—Drill | 30 | 20-30 | Jan.—May |
| Cowpeas—(Drill 20-30#) | 60 | 60-90 | Mar.—August |
| Crotalaria—Spectabilis (Drill 6-8) | 60 | 12-20 | March—July |
| Crotalaria—Intermedia | 60 | 6-10 | March—July |
| Crotalaria—Giant Striata | 60 | 10-20 | March—July |
| Grain Sorghum—Hegari—(Drill 10-12#) | 50 | 40-50 | March—July |
| Martina Milo—(Drill 10-12#) | 50 | 40-50 | March—July |
| Sart | 50 | 25-30 | March—July |
| Grass—Bahia | 42 | 15-20 | Feb.—Nov. |
| Grass—Bermuda (Unhulled) Pasture | 35 | 8-10 | Feb.—Nov. |
| Grass—Bermuda (Unhulled) Lawns (Per 1,000 sq. ft. Use 1/3 less of Hulled) | 35 | 3-5 | Feb.—Nov. |
| Grass—Blue—Broadcast | 14 | 25-35 | Sept.—March |
| Grass—Buffel | 15 | 1 | Spring & Early Fall |
| Grass—Carpet—Pasture—Broadcast | 18 | 15-20 | Sept.—June |
| Grass—Carpet—Lawns (1,000 sq. ft.) | 18 | 8-10 | Sept.—June |
| Grass—Dallis—Pasture—Broadcast | 15 | 10-15 | Spring & Fall |
| Grass—Fescue, Kentucky 31 | 24 | 14-18 | August—Dec. |
| Grass—Fescue, Meadow | 24 | 25-30 | Sept.—Oct., Feb.—May |
| Grass—Johnson—Broadcast | 28 | 20-30 | March—July |
| Grass—Orchard | 14 | 20-25 | Sept.—Oct., Feb.—May |
| Grass—Red Top—Broadcast | 32 | 8-10 | Oct.—March |
| Grass—Rescue | 25 | 20-30 | Sept.—Jan. |
| Grass—Rhodes | 20 | 10-20 | Spring & Fall |
| Grass—Sudan | 50 | 15-25 | March—July |
| Grass—Tall Meadow Oat | 11 | 30-40 | Sept.—Nov., Jan.—May |
| Grass—Weeping Lovegrass | 60 | 1-2 | March—August |
| Hairy Indigo | 55 | 6-8 | March—July |
| Lespedeza—Common—Broadcast | 25 | 25-30 | Feb.—May |
| Lespedeza—Kobe—Broadcast | 22 | 30-35 | Feb.—May |
| Lespedeza—Korean—Broadcast | 25 | 25-30 | Feb.—May |
| Lespedeza—Sericea (Drill 3-5) | 60 | 15-20 | Feb.—May |
| Lupine—(Drill 25#) | 60 | 50 | Oct.—Dec. |
| Millet—Brown Top—Drills | 50 | 6-10 | March—July |
| Millet—Cattail Drills | 50 | 8-12 | March—July |
| Millet—German—Broadcast | 50 | 30-50 | March—July |
| Millet—Japanese | 50 | 16 | April—August |
| Millet—Starr | 50 | 15 | April—July |
| Oats—Broadcast | 32 | 64-96 | Oct.—Jan. |
| Peanuts—Unshelled—Drills | 25 | 50-75 | March—June |
| Rape—(Drills 4-5#) | 56 | 10-12 | Sept.—May |
| Rye—Broadcast | 56 | 56-84 | Sept.—Dec. |
| Rice—For Upland Planting | 44 | 23-35 | March—May |
| Rice—For Tidewater Planting | 44 | 90-125 | March—June |
| Sesbania—Broadcast | 60 | 15-30 | April—July |
| Soybeans—Small Seeded (Drill 12-15#) | 60 | 60-90 | March—July |
| Soybeans—Large Seeded (Drill 30-40#) | 60 | 60-90 | March—July |
| Sunflower—Drills | 22 | 6-8 | April—July |
| Velvet Beans—Drills | 60 | 20-30 | March—July |
| Vetch—Broadcast | 60 | 20-30 | Sept.—Nov. |
| Wheat—Broadcast | 60 | 75-120 | Oct.—Dec. |
| Wheat—Egyptian | 50 | 10-12 | April—July |
| Winterpeas—Austrian—Broadcast | 60 | 30-40 | Sept.—Dec. |
| Winterpeas—Wild—Broadcast | 60 | 15-20 | Sept.—Dec. |

NOTICE

"Under the Florida law, no legal action can be brought by the ultimate purchaser of the seeds sold against the seller for damages claimed to have resulted from any defect or failure of said seeds to be as represented by the information shown on the label or tag, unless notice of such defect or variation from such information is given to the seller within a reasonable time, and not later than 15 days from the time such defect or variation becomes apparent, and is observed by the ultimate purchaser."